

Bid Document

| Bid Details | |
|--|---|
| Bid End Date/Time | 09-02-2022 13:00:00 |
| Bid Opening Date/Time | 09-02-2022 13:30:00 |
| Bid Life Cycle (From Publish Date) | 90 (Days) |
| Bid Offer Validity (From End Date) | 45 (Days) |
| Ministry/State Name | Pmo |
| Department Name | Department Of Atomic Energy |
| Organisation Name | Iter India Ipr |
| Office Name | literindia Ipr Blocka Sangath Skyz Bhatmote |
| Total Quantity | 15 |
| Item Category | Stanchion Barriers (Q3) |
| MSE Exemption for Years of Experience and Turnover | No |
| Startup Exemption for Years of Experience and Turnover | No |
| Document required from seller | Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Bid to RA enabled | No |
| Primary product category | Stanchion Barriers |
| Time allowed for Technical Clarifications during technical evaluation | 5 Days |
| Evaluation Method | Total value wise evaluation |

EMD Detail

| | |
|----------|----|
| Required | No |
|----------|----|

ePBG Detail

| | |
|----------|----|
| Required | No |
|----------|----|

Splitting

Bid splitting not applied.

MII Purchase Preference

| | |
|------------------------|----|
| MI Purchase Preference | No |
|------------------------|----|

MSE Purchase Preference

| | |
|-------------------------|-----|
| MSE Purchase Preference | Yes |
|-------------------------|-----|

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.
2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
3. Short Duration Bid has been published by the Buyer with the approval of the Competent authority due to Emergency procurement of critical products/services.

Stanchion Barriers (10 pieces)

| | |
|------------|------------------|
| Brand Type | Registered Brand |
|------------|------------------|

Technical Specifications

[* As per GeM Category Specification](#)

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|-------------------------------|--|--|
| APPLICATION / USAGE / TYPE | Usage | Indoor |
| | Type of Stanchion | Retractable Belt Stanchions |
| | Portability | Portable |
| | Type of Base | Weighted Base for superior stability |
| | Weather Resistant | Yes |
| STANCHION / POST | Post Outside dia | 63.0, 75.0 |
| | Total Height (including Base) (mm) | 950 to 999 |
| | Material of the Post | Structural Steel, Brass / Bronze, Aluminium, Clear PolyCarbonate, Weather Proof HDPE |
| | Top Head Cover of the Stanchion / Post | Pilfer proof metal cap for Retractable Belt Stanchions |

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|---------------------------------|---|---|
| | Stanchion / Post provided with dovetail grooves for attaching in-line merchandising and signage panels | Yes |
| | Stanchion / Post provided with Universal Ring for attaching Rope / Chain Barriers | Yes |
| BASE | Base dia (mm) | 300 to 324 |
| | Base / Flange Shape | Flat / Circular |
| | Material of the Base Cover / Flange | Stainless Steel |
| | Base filling material to provide greater stability and helps prevent tipping | Moulded Rubber / Plastic |
| | Weight of the Base (including filling material, if any) | 8.0 |
| | Rubberized protection to prevent floor scratches | Yes |
| | Base provided with Roller(s) for Easy Movement | No |
| RETRACTABLE BELT BARRIERS | No of Retractable Belts for each Stanchion | Single Belt at Top |
| | Length of Retractable Belt provided with each post (Inclusive in the scope of supply) (meter) | 2.25 |
| | Retactable Belt Width (mm) | 48 |
| | Type of Belt Cassette | With Braking system |
| | Belt material | Nylon |
| | Belt Weave | Cross Weave |
| | Belt Lock to prevent accidental belt release | Yes |
| | Belt colour | Custom colour as per the requirement of the buyer |
| | Printing on Belt | Double Side Printing |
| | Design / Colour of the Printing matter | As per the requirement of the buyer |
| SWAG ROPE / SWAG CHAIN BARRIERS | Length of Rope / Chain provided with each post (Inclusive in the scope of supply) (meter) | NA for Retractable Belt Stanchions |
| | Rope / Chain Dia (mm) | NA for Retractable Belt Stanchions |
| | Material of the Rope Barrier | NA for Retractable Belt Stanchions and Chain Barriers |

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|---------------|--------------------------------------|---|
| | Colour of the Rope Barrier | NA for Retractable Belt Stanchions and Chain Barriers |
| | Material of the Chain Barrier | NA for Retractable Belt Stanchions and Rope Barriers |
| | Rope / Chain End | NA for Retractable Belt Stanchions |
| GENERIC | Metal Finish options | Satin Stainless Steel |
| | Powder Coating finish options | NA |
| WARRANTY | Warranty | 1.0 |

Additional Specification Parameters - Stanchion Barriers (10 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|---|
| Belt End | Universal - connect with 4-way Adaptor with 3 receiving ends and 1 extension end for retractable belt |
| ITEM Detail | Floor mounting Stanchion/Post Barrier with Retractable Belt |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-------------------------------|--|----------|---------------|
| 1 | Mayurkumar Navinchandra Patel | 380005,ITER-INDIA, IPR, BLOCK-A, SANGATH SKYZ, BHAT-MOTERA ROAD, KOTESHWAR, AHMEDABAD-380005, GUJARAT, INDIA | 10 | 30 |

Stanchion Barriers (5 pieces)

| | |
|------------|------------------|
| Brand Type | Registered Brand |
|------------|------------------|

Technical Specifications

[* As per GeM Category Specification](#)

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|----------------------------|--------------------------|----------------------------------|
| APPLICATION / USAGE / TYPE | Usage | Indoor |
| | Type of Stanchion | Retractable Belt Stanchions |
| | Portability | Stationery / Fixed |

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|---------------------------|---|---|
| STANCHION / POST | Type of Base | Weighted Base for superior stability |
| | Weather Resistant | Yes |
| | Post Outside dia | 50.0 |
| | Total Height (including Base) (mm) | 600 to 649 |
| | Material of the Post | Structural Steel |
| | Top Head Cover of the Stanchion / Post | Pilfer proof HDPE cap for Retractable Belt Stanchions |
| | Stanchion / Post provided with dovetail grooves for attaching in-line merchandising and signage panels | Yes |
| | Stanchion / Post provided with Universal Ring for attaching Rope / Chain Barriers | No |
| BASE | Base dia (mm) | NA for Fixed / Removable Base |
| | Dia of Flange / Cover for Fixed / Removable / Magnetic Base (mm) | NA for Weighted Base |
| | Base / Flange Shape | Flat / Circular |
| | Material of the Base Cover / Flange | Stainless Steel |
| | Base filling material to provide greater stability and helps prevent tipping | None |
| | Weight of the Base (including filling material, if any) | 0.0 |
| | Rubberized protection to prevent floor scratches | NA for Fixed / Removable Base |
| | Base provided with Roller(s) for Easy Movement | NA for Fixed / Removable Base |
| RETRACTABLE BELT BARRIERS | No of Retractable Belts for each Stanchion | Single Belt at Top |
| | Length of Retractable Belt provided with each post (Inclusive in the scope of supply) (meter) | 2.0 |
| | Retactable Belt Width (mm) | 48 |
| | Type of Belt Cassette | Without Braking system |
| | Belt material | Nylon |
| | Belt Weave | Cross Weave |

| Specification | Specification Name | Bid Requirement (Allowed Values) |
|---------------------------------|--|---|
| | Belt Lock to prevent accidental belt release | Yes |
| | Belt colour | Custom colour as per the requirement of the buyer |
| | Printing on Belt | Double Side Printing |
| | Design / Colour of the Printing matter | As per the requirement of the buyer |
| SWAG ROPE / SWAG CHAIN BARRIERS | Length of Rope / Chain provided with each post (Inclusive in the scope of supply) (meter) | NA for Retractable Belt Stanchions |
| | Rope / Chain Dia (mm) | NA for Retractable Belt Stanchions |
| | Material of the Rope Barrier | NA for Retractable Belt Stanchions and Chain Barriers |
| | Colour of the Rope Barrier | NA for Retractable Belt Stanchions and Chain Barriers |
| | Material of the Chain Barrier | NA for Retractable Belt Stanchions and Rope Barriers |
| | Rope / Chain End | NA for Retractable Belt Stanchions |
| GENERIC | Metal Finish options | Polished Stainless Steel |
| | Powder Coating finish options | NA |
| WARRANTY | Warranty | 1.0 |

Additional Specification Parameters - Stanchion Barriers (5 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|---|
| Thickness of the Post tube | 1 mm |
| Belt End | Universal - connect with 4-way Adaptor with 3 receiving ends and 1 extension end for retractable belt |
| ITEM Details | Wall mounting Fixed Stanchion/Post Barrier with Retractable Belt |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|---------|----------|---------------|
|-------|-----------------------------|---------|----------|---------------|

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-------------------------------|--|----------|---------------|
| 1 | Mayurkumar Navinchandra Patel | 380005,ITER-INDIA, IPR, BLOCK-A, SANGATH SKYZ, BHAT-MOTERA ROAD, KOTESHWAR, AHMEDABAD-380005, GUJARAT, INDIA | 5 | 30 |

Buyer Added Bid Specific Terms and Conditions

1. Generic

The buyer organization is an institution eligible for concessional rates of GST as notified by the Government of India. The goods for which bids have been invited fall under classification of GST concession and the conditions for eligibility of concession are met by the institution. A certificate to this effect will be issued by Buyer to the Seller after award of the Contract. Sellers are requested to submit their bids after accounting for the Concessional rate of GST.

Applicable Concessional rate of GST : 5%

Notification No.and date : : 47/2017 - Integrated Tax (Rate) , 45/2017-Central Tax (Rate) dated 14/11/2017 and 45/2017 - State Tax (Rate) dated 15/11/2017

2. Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

3. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

4. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

5. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Warranty: 12 Months from the date of final acceptance of ordered items by Purchaser against all sorts of manufacturing defects, faulty material and poor workmanship.

2. Delivery Address:

ECRH Lab, ITER-India Lab Building,

Institute For Plasma Research

Near Mother Dairy, Bhat Village,

Gandhinagar-382428, Gujarat, India.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the

bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---